

PROPERTY	UNIT	GUARANTEE	LIMIT	TEST METHOD
Reid Vapor Pressure	Psi	12.5	Max	ASTM D-323
Specific Gravity at 15°C		0.735	Max	ASTM D-4052
Lead	ppb	50	Max	IP 224
Color Saybolt		+20	Min	ASTM D-156
IBP	°C	30	Min	ASTM D-86
FBP	°C	180	Max	ASTM D-86
Paraffins	%(v/v)	65	Min	ASTM-D-5134
Aromatics	%(v/v)	10	Max	ASTM-D-5134
Olefins	%(v/v)	1	Max	ASTM-D-5134
Naphthenes	%(v/v)	Balance		ASTM-D-5134
Mercaptans	ppm	150	Max	ASTM D-3227
Sulfur	ppm	500	Max	ASTM D-5452
Total Chlorines	ppm	10	Min	ASTM D-7359
MTBE	ppm	50	Max	ASTM D-22854
Total Oxygenates	ppm	100	Max	ASTM D-22854
H ₂ S	ppm	10	Max	UOP 163
Mercury	ppb	5	Max	UOP 938