



SAFETY DATA SHEET SLACK WAX

Dok. No : TPR.ÜPM.SDS.1400
Yayın Tarihi : 24.03.2017
Rev. No : 1
Rev. Tarihi : 30.01.2018
Sayfa No : 1 / 10

This Safety Data Sheet is prepared according to "Regulation on the Safety Data Sheets Relating to Hazardous Substances and Mixtures" published with the date of 13 December 2014 and No.29204 at Official Gazette.

1- IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier

Material Name: Slack Wax

Spindle Slack Wax

CAS No : 64742-61-6

EC No : 265-165-5

Other Names of Products:

Tüpraş-1410 Spindle Slack Wax

Tüpraş-1420 Light Neutral Slack Wax

Tüpraş-1430 Heavy Neutral Slack Wax

Tüpraş-1440 Bright Stock Slack Wax

1.2 Relevant identified uses of the substance or mixture and uses advised against

It is generally used for manufacture of candle, covering paper and production of match and polish in industry.

1.3 Details of the supplier of the substance or mixture

Manufacturer/Supplier : Tüpraş

Adress : Türkiye Petrol Rafinerileri A.Ş. Genel Müdürlüğü KÖRFEZ/ KOCAELİ

Telephone : +90-262 316 30 00

Fax : +90-262 316 30 10-11

e-mail : omer.ocak@tupras.com.tr

sinasi.seymenbasi@tupras.com.tr

1.4 Emergency Telephone Number

Telephone : 114 (UZEM)

This Safety Data Sheet is prepared according to "Regulation on the Safety Data Sheets Relating to Hazardous Substances and Mixtures" published with the date of 13 December 2014 and No.29204 at Official Gazette.

2- HAZARDS IDENTIFICATION

2.1 Classification of substance or mixture

Carcinogenicity, Category 1B

H350

2.2 Label Elements

Symbols:



Hazard statements:

Physical Hazards: Not classified as dangerous

Health hazards:

H-350 May cause cancer

Precautionary statements:

Prevention:

P201- Obtain special instructions before use.

P202- Do not handle until all safety precautions have been read and understood.

P281- Use personal protective equipment.

Response:

P308+P313- If exposed: Call a POISON CENTER or doctor/physician.



SAFETY DATA SHEET SLACK WAX

Dok. No : TPR.ÜPM.SDS.1400
Yayın Tarihi : 24.03.2017
Rev. No : 1
Rev. Tarihi : 30.01.2018
Sayfa No : 3 / 10

This Safety Data Sheet is prepared according to "Regulation on the Safety Data Sheets Relating to Hazardous Substances and Mixtures" published with the date of 13 December 2014 and No.29204 at Official Gazette.

Disposal:

P501 - Dispose of contents/container to local, regional, national, territorial, provincial, and international regulations.

2.3 Other hazards

No data available.

3- COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance

CAS NO:	EINECS NO:	Chemical Composition	% Conc.	Risk Phreases
64742-61-6	265-165-5	It's a mixture of hydrocarbons predominantly in the range of C22 and C28.	100	Carcinogenicity, Category 1B H350

3.2 Mixtures

Not applicable

4- FIRST - AID MEASURES

4.1 Description of First Aid Measures

Inhalation: If inhalation of mists, fumes or vapour causes irritation to the nose or throat, or coughing, remove to fresh air. If symptoms persist obtain medical advice.

Skin Contact: Wash skin thoroughly with soap and water as soon as reasonably practicable. Remove heavily contaminated clothing and wash underlying skin.

Eye Contact: Wash eye thoroughly with copious quantities of water, ensuring eyelids are held open. Obtain medical advice if any pain or redness develops or persists. If hot material enters the eye, flood immediately with cold water to dissipate the heat, if possible, ensuring eyelids are held open. Take the casualty to hospital for examination and treatment without delay.



SAFETY DATA SHEET SLACK WAX

Dok. No : TPR.ÜPM.SDS.1400
Yayın Tarihi : 24.03.2017
Rev. No : 1
Rev. Tarihi : 30.01.2018
Sayfa No : 4 / 10

This Safety Data Sheet is prepared according to "Regulation on the Safety Data Sheets Relating to Hazardous Substances and Mixtures" published with the date of 13 December 2014 and No.29204 at Official Gazette.

Ingestion: If contamination of the mouth occurs, wash out thoroughly with water. Except as a deliberate act, the ingestion or large amounts of product is unlikely. If it should occur, do not induce vomiting; obtain medical advice.

4.2 Most important symptoms/effects, acute & delayed

Skin Contact: May cause eye and skin irritation.

Ingestion: Swallowing may cause nausea and vomiting, do not try to vomit.

4.3 Indication of immediate medical attention and special treatment needed

There are no specific antidotes or other therapeutic measures, treat symptomatically.

5- FIRE-FIGHTING MEASURES

5.1 Extinguishing Media

Use foam, dry powder or water fog. Ensure an escape path is always available from any fire.

5.2 Special hazards arising from substance or mixture

Combustion results from toxic gases. It can burn at high temperatures.

5.3 Advice for fire-fighters

Fires in confined spaces should be dealt with by trained personnel wearing approved breathing apparatus.

6- ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Refer to section 8.

6.2 Environmental precautions

Scrape up bulk of solid material and remove liquid with sand or other suitable inert absorbent material. In the case of spillage on water, prevent the spread of product by the use of suitable barrier equipment.

6.3 Methods and material for containment and cleaning up

Spilled material may make surfaces slippery. Scrape up bulk of solid material and remove liquid with sand or other suitable inert absorbent material. Large and uncontained spillages should be smothered with foam to reduce the risk of ignition. Recovery of large spillages should be effected by specialist personnel. The foam blanket should be maintained until the area is declared safe. In the event of spillages contact the appropriate authorities.



SAFETY DATA SHEET SLACK WAX

Dok. No : TPR.ÜPM.SDS.1400
Yayın Tarihi : 24.03.2017
Rev. No : 1
Rev. Tarihi : 30.01.2018
Sayfa No : 5 / 10

This Safety Data Sheet is prepared according to "Regulation on the Safety Data Sheets Relating to Hazardous Substances and Mixtures" published with the date of 13 December 2014 and No.29204 at Official Gazette.

6.4 Reference to other sections

Refer to sections 8 and 13.

7- HANDLING AND STORAGE

7.1 Precautions for safe handling

Ensure good ventilation and avoid as far as reasonably practicable the inhalation and contact with vapours, mists or fumes which may be generated during use. Avoid contact with skin and observe good personal hygiene. Avoid contact with eyes. If splashing is likely to occur wear a full face visor or chemical goggles as appropriate. Wash hands thoroughly after contact. Use disposable cloths and discard when soiled. Do not put soiled cloths into pockets.

7.2 Conditions for safe storage, including any incompatibilities

Store and dispense only in well ventilated areas away from heat and sources of ignition. Store and use only in equipment/containers designed for use with this product. Containers must be properly labelled and kept closed when not in use. Do not remove warning labels from containers. Empty packages may contain some remaining product. Retain hazard warning labels on empty packages as a guide to the safe handling, storage and disposal of empty packaging. Do not enter storage tanks without breathing apparatus unless the tank has been well ventilated and the tank atmosphere has been shown to contain hydrocarbon vapour concentrations of less than 1% of the lower flammability limit and an oxygen concentration of at least 20% volume.

7.3 Specific end use

Except as provided in Section 1.2 is not required to offer any specific suggestions.

8- EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

There is no appropriate occupational exposure limit for this material. Ensure good ventilation. Avoid, inhalation of vapour, mists or fumes generated during use. If vapour, mists or fumes are generated, their concentration in the workplace air should be controlled to the lowest reasonably practicable level.

This Safety Data Sheet is prepared according to "Regulation on the Safety Data Sheets Relating to Hazardous Substances and Mixtures" published with the date of 13 December 2014 and No.29204 at Official Gazette.

8.2 Exposure controls



8.2.1 Appropriate engineering controls

Ensure good ventilation.

8.2.2 Personal protective precautions

Eye contact: Wear face visor or goggles in circumstances where eye contact can accidentally occur.

Skin contact: If skin contact is likely, wear impervious protective clothing and/or gloves.

Clothes: Protective clothing should be regularly inspected and maintained.

9- PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

This Safety Data Sheet is prepared according to "Regulation on the Safety Data Sheets Relating to Hazardous Substances and Mixtures" published with the date of 13 December 2014 and No.29204 at Official Gazette.

	Test Unit	Guarantee	Test Method
Appearance		Pale yellow , liquid	Visual inspection
Odour		No data	
Odour threshold		No data	
pH		No data	
Melting point / freezing point	°C	40-60	ASTM D 127
Initial boiling point and boiling range		No data	
Evaporation rate		No data	
Flammability		No data	
Upper / lower flammability or explosive limits		No data	
Vapor Pressure		No data	
Vapor density		No data	
Relative density (at 70 °C)		0,7793-0,8757	ASTM D 1298
Resolution		No data	
Partition coefficient: n-octanol / water		No data	
Decomposition temperature		No data	
Fluidity (Viscosity) (at 100 °C)	cSt	2,0 – 18,0	ASTM D 445
Ignition temperature	°C	160 min	ASTM D 92
Explosive properties		No data	
Oxidising properties		No data	

9.2 Other Information

Mixibility	No data
Oil solubility	No data
Conductivity	No data

This Safety Data Sheet is prepared according to "Regulation on the Safety Data Sheets Relating to Hazardous Substances and Mixtures" published with the date of 13 December 2014 and No.29204 at Official Gazette.

10- STABILITY AND REACTIVITY

10.1 Reactivity

In case of combustion, CO₂, SO₂, NO_x, CO may form.

10.2 Chemical Stability

Stable under normal conditions.

10.3 Possibility of Hazardous Reactions

Avoid contact with strong oxidizing agents.

10.4 Conditions to avoid

Extremes of temperature and direct sunlight.

10.5 Incompatible materials

Strong oxidising agents.

10.6 Hazardous decomposition products

Hazardous decomposition products are not expected to form during normal storage.

11- TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute Oral Toxicity: Expected to be of low toxicity: LD₅₀ > 5000 mg/kg , Rat

Acute Dermal Toxicity: Expected to be of low toxicity: LD₅₀ >2000 mg/kg , Rabbit

Skin Corrosion/Irritation: Expected to be slightly irritating. Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis.

Respiratory Irritation: Inhalation of vapours or mists may cause irritation to the respiratory system.



SAFETY DATA SHEET SLACK WAX

Dok. No : TPR.ÜPM.SDS.1400
Yayın Tarihi : 24.03.2017
Rev. No : 1
Rev. Tarihi : 30.01.2018
Sayfa No : 9 / 10

This Safety Data Sheet is prepared according to "Regulation on the Safety Data Sheets Relating to Hazardous Substances and Mixtures" published with the date of 13 December 2014 and No.29204 at Official Gazette.

ECOLOGICAL INFORMATION

12.1 Toxicity

Acute Toxicity: May cause damage to the aquatic organisms.

Fish: Expected to be practically non toxic: LL/EL/IL50 > 100 mg/l

Aquatic Invertebrates: Expected to be practically non toxic: LL/EL/IL50 > 100 mg/l

Algae: Expected to be practically non toxic: LL/EL/IL50 > 100 mg/l

Microorganisms: Expected to be practically non toxic: LL/EL/IL50 > 100 mg/l

12.2 Persistence and degradability

Expected to be inherently biodegradable.

12.3 Bioaccumulative potential

Contains components with the potential to bioaccumulate.

12.4 Mobility in soil

If it enters soil, it will adsorb to soil particles and will not be mobile.

12.5 Results of PBT and vPvB assessment

Not applicable

12.6 Other adverse effects

Not expected to have ozone depletion potential, photochemical ozone creation potential or global warming potential.

12- DISPOSAL CONSIDERATIONS

3.1 Waste treatment methods

Dispose of by incineration or other suitable means under conditions approved by the local authority or via a licensed waste disposal contractor. At sea, used or unwanted product should be stored for eventual discharge into port approved waste oil disposal facilities.



SAFETY DATA SHEET SLACK WAX

Dok. No : TPR.ÜPM.SDS.1400
Yayın Tarihi : 24.03.2017
Rev. No : 1
Rev. Tarihi : 30.01.2018
Sayfa No : 10 / 10

This Safety Data Sheet is prepared according to "Regulation on the Safety Data Sheets Relating to Hazardous Substances and Mixtures" published with the date of 13 December 2014 and No.29204 at Official Gazette.

13- TRANSPORT INFORMATION

ADR : Not regulated as dangerous goods for transport under ADR.

RID : Not regulated as dangerous goods for transport under RID.

IMO : Not regulated as dangerous goods for transport under IMO.

IATA/ICAO : Not regulated as dangerous goods for transport under IATA/ICAO.

14- REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This Safety Data Sheet, Environment and Urban Planning Ministry by December 13, 2014 date and 29204 numbered published in the Official Gazette of Hazardous Substances Regulation on safety data sheets of mixtures' Environment and Forestry and the Ministry of 26 by December 2008, and 27092 (bis) Official Gazette published "Classification of Hazardous Substances and preparations Regulations on Packaging and Labelling 'base is based.

15- OTHER INFORMATION

Hazard Statements:

H-350 May cause cancer

This data sheet and the health, safety and environmental information it contains is considered to be accurate as of the date specified below. We have reviewed any information contained herein which we received from sources outside TÜPRAŞ. However, no warranty or representation, express or implied is made as to the accuracy or completeness of the data and information contained in this data sheet.

Health and safety precautions and environmental advice noted in this data sheet may not be accurate for all individuals and/or situations. It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as a permission, recommendation or authorization given or implied to practise any patented invention without a valid licence. The TÜPRAŞ shall not be responsible for any damage or injury resulting from abnormal use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material.

Prepared by : Şinasi SEYMENBAŞI

Document Date : 01.10.2015

Document No : GBF-2101